

MassTransit[®] 5

Web Client Manual

for Macintosh and Windows

GroupLogic[®]

Group Logic Inc.
703-528-1555
Fax: 703-527-2567
Email: info@grouplogic.com
Internet: www.grouplogic.com

Copyright (C) 1995-2007 Group Logic Incorporated. All rights reserved. 09010751

This manual, as well as the software described in it, is furnished under license and may only be used or copied in accordance with the terms of such license. The information in this manual is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by Group Logic Incorporated. Group Logic Incorporated assumes no responsibility or liability for any errors or inaccuracies that may appear in this book. Printed in the USA.

Except as permitted by such license, no part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written permission of Group Logic Incorporated.

The software described in this manual is covered by a license agreement which places restrictions on its export and import to specific countries. This License agreement is expressly made subject to any applicable laws, regulations, orders, or other restrictions on the export of the licensed products, software or information about such licensed products which are in effect or may be imposed from time to time. You shall not export or import the licensed products or information about the licensed products without complying with such laws, regulations, orders, or other restrictions. The licensed products may not be exported or reexported to Cuba, Libya, Iraq, Iran, Sudan, Syria, or North Korea. You agree to indemnify Group Logic, Incorporated, against all claims, losses, damages, liabilities, costs and expenses, including reasonable attorney' fees, to the extent such claims arise out of any breach of this section.

Adobe, the Adobe logo, and PostScript are trademarks of Adobe Systems Incorporated. All references to PostScript on the screen or in this manual are references either to the Adobe PostScript software or to the Adobe PostScript language. Apple, Finder, Macintosh, and Mac OS are registered trademarks of Apple Computer, Inc. Explorer, Internet Information Services, and Windows are registered trademarks of Microsoft, Inc.

All other trademarks are the property of their respective owners.

For defense agencies: Restricted Rights Legend. Use, reproduction or disclosure is subject to restrictions set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at 252.227-7013.

For civilian agencies: Restricted Rights Legend. Use, reproduction or disclosure is subject to restrictions set forth in subparagraphs (a) through (d) of the commercial Computer Software Restricted Rights clause at 52.227-19 and the limitations set forth in Group Logic's standard commercial agreement for this software. Unpublished rights are reserved under the copyright laws of the United States.

For detailed license information related to included software, see the Related Licenses folder in the MassTransit installation directory.

The Software contains open source computer programs the copyright to which is owned by MySQL AB, and which may not be used except pursuant to the licensed rights in the Software granted above to you or as otherwise expressly permitted by MySQL AB. MySQL is a trademark of MySQL AB and may not be used without express permission from MySQL AB. Copyright (C) 1995-2007 MySQL AB. All rights reserved.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Portions Copyright (C) 1999-2007 The Apache Software Foundation. All rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>). Portions Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com). All rights reserved. Portions Copyright (C) 1998-2007 The OpenSSL Project. All rights reserved.

Portions written with the MacApp® Application Framework. Copyright (C) 1983-2007 Apple Computer, Inc. MacApp is a trademark of Apple Computer, Inc., registered in the United States and certain other countries."

This product includes software developed by the Fusebox Corporation (<http://www.fusebox.org/>). Copyright (C) 1997-2007 The Fusebox Corporation. All rights reserved.

This product includes software developed by the New Digital Group, Inc. Portions Copyright (C) 2001-2007 New Digital Group, Inc. All rights reserved.

This product includes software developed by Robert A. van Engelen. Portions created by gSOAP are Copyright (C) 2001-2007 Robert A. van Engelen, Genivia inc. All rights reserved.

Portions Copyright (C) 1995-2007 Jean-loup Gailly and Mark Adler.

MassTransit Web Client	4
LOGGING INTO A MASSTRANSIT ENTERPRISE SERVER ON THE WEB	4
Using FTP Fallback	5
TRANSFERRING FILES WITH THE MASSTRANSIT WEB CLIENT	6
Picking up files	6
Sending files to the Server	6
Sending files and folders to others	7
Sending files to a service.....	7
USING THE WEB ASSISTANT	8
The Status tab	8
The Log tab	8
THE LOG VIEWER	9
CHANGING YOUR PASSWORD.....	10
LOGGING OUT	10
Index	11

MassTransit Web Client

The MassTransit Web Client provides an easy way to transfer files to a MassTransit Enterprise server or to other servers or clients that connect to it. You can log into a MassTransit Enterprise Server using a supported version of Firefox, Safari or Internet Explorer (see the MassTransit ReadMe for current details). Once logged in, you install the MassTransit Web Client Plug-in. With the plug-in installed you will be able to send or receive files and folders easily. The Server administrator may set up a secure connection using Secure Sockets Layer (SSL) which provides you with verification that you are connected to the server's web site. In addition, a secure connection provides encryption of the data you transfer.

Starting with MassTransit 5.1, the plug-in is a Universal binary that runs natively on the current Intel-based Macs or the older PowerPC-based Macs.

For more information about installing and using the MassTransit Web Client, please see the following Group Logic knowledge base article: http://www.grouplogic.com/knowledge/index.cfm/fuseaction/view_Info/docID/278


Logging into a MassTransit Enterprise Server on the web

If you already have the Web Client Plug-in installer, install it before proceeding or download it from the web the first time you sign on to the MTWeb site. Once the plug-in is installed, you can transfer files using the MassTransit Web Client software. If it's not possible or desirable to install the MassTransit Plug-in, you may have an option of using FTP if the FTP Fallback option is enabled for you on the server. Using FTP presents certain security risks and has more limited functionality than the MassTransit Web Client, but it does not necessarily require installation of additional software.

Before attempting to sign in, get the web address your server wants you to use.

1. Sign in to the Web Address provided by the Server.

The User Name and Password are those set up for you in MassTransit itself or the ones you normally use to log into the server's domain (if Active Directory authentication was set up). If the server is configured to use Single Sign-On (SSO) and you are already logged into the same domain, you can access the MTWeb site without having to enter your username and password.



- If you have installed the Web Client Plug-in already, skip the rest of this section and go to "Transferring Files with the MassTransit Web Client" on page 6.
- If you access the MassTransit web site from a computer without a MassTransit Web Client Plug-in installed, or, if the plug-in is older than the current one, you are prompted to install the latest version of the web client. Follow steps 2 and 3 to continue.
- If your server has provided you with the FTP option, you may use FTP to transfer files. FTP is only recommended for use if the MassTransit Web Client cannot be used due to installation or network configuration problems. For instructions, see the steps in the "Using FTP Fallback" section on the next page.

2. Download and install the plug-in.
If you're using Firefox or Safari, or the regular installer with Internet Explorer, you will need to quit and re-launch your browser for the plug-in to be active. If you use the automated CAB file installation in Internet Explorer, you do not need to restart your browser..
3. After installing the Web Client Plug-in, sign in to the web address for the MassTransit server again.
You are ready to transfer files.

Security Your server may have required a secure connection. In this case, when you connect to the server's web site you connect using HTTPS (web browsing over SSL) rather than HTTP, much as if you were connecting to a bank. The secure connection uses SSL to provide a server certificate and encryption of all data sent over the connection. If a secure connection is required and you do not use HTTPS, you see a message asking you use it. When you have a secure connection, you see a padlock at the bottom of your window.

Your web browser can verify that the Server's certificate is authentic. The MassTransit Web Assistant receives an encryption key from the server over the authenticated connection and uses it to establish its credentials with the MassTransit server when sending files. This encryption key changes randomly with every transaction. Even if someone intercepted the key by watching the traffic, it is not useful since it is valid only once.

Using FTP Fallback

If your server has provided you with the FTP option, follow these step to transfer files using FTP. If you would like to use the MassTransit Web Plug-in but are having difficulties, please contact the site administrator for assistance.

1. Sign in to the Web Address provided by the Server.
2. If you do not want to install the MassTransit Web Client, click the Use FTP button to start a new FTP session.



The FTP session may be established in your browser or an FTP client application, depending on your computer configuration. For more information about using FTP Fallback, see the following Group Logic knowledge base article:

http://www.grouplogic.com/knowledge/index.cfm/fuseaction/view_Info/docID/275

When you use the FTP fallback option, you cannot use key features of the MassTransit Web Client, including the following.

- * Drag & drop file transfer from the web browser
- * Protection of folder structures and Macintosh specific file information such as resource forks, Finder icons, and file modification times
- * Encryption of both user passwords and file content
- * Built-in lossless compression for faster transfers
- * Guaranteed delivery of uncorrupted files using checksums and handshakes

Transferring Files with the MassTransit Web Client


Using the Pick Up and Drop Off tabs you can do the following.

- Pick up files from the Enterprise server
- Drop off files for the Enterprise server and fill out a job ticket if your server has requested one
- Send files to others whose addresses are in the Enterprise server's Address Book if the Enterprise server has given you permission
- Direct files to services the Enterprise server has set up and given you permission to use

PICKING UP FILES

If someone has sent files or folders to you, they are listed in the Pick Up tab.

1. Go to the Server's Web address and log in.



2. Click on a file or folder and drag it to your hard drive.
Drag a folder to preserve its hierarchy—to save all files and folders within that folder in the same order.
—OR—
Click Download All to download all files and folders.

Note If the MassTransit Server has allowed for repeated pickup of files, the files remain in the Pick Up tab after downloading. This allows you to return to the Pick Up tab to download the files again.

SENDING FILES TO THE SERVER

You can send files and folders to your Enterprise Server using the Drop Off tab.

If you want to send files or folders to your Enterprise Server, follow these steps.

1. Go to the Server's Web address and log in.
2. Go to the Drop Off tab.
If your Server requires a job ticket, it appears; fill out the necessary fields before proceeding to step 3.
3. Drag a file or a folder containing files from the Macintosh Finder or Windows Explorer to the Drop Off tab.
—OR—

Click Select Files to browse for files or folders to send. Highlight a file or folder and click Add, or click Add All to add the contents of the displayed folder. Click Done.

Once files and/or folders are selected, they are sent to your MassTransit Enterprise Server. The Web Assistant opens and displays a progress indicator and information about the transfer and keeps a log of events as they happen. See the section "Using the Web Assistant" below.

Note If you use Safari on Mac OS X 10.4.4 and later, dragging certain files to the MassTransit Plug-in may not work correctly. A bug in Safari will cause it to display the contents of common file formats such as JPEG and PDF instead of allowing the MassTransit Plug-in to send the files. To work around the issue, simply enclose the file or files in a folder or use the Add button described above.

4. Click the Logout tab to log out.

SENDING FILES AND FOLDERS TO OTHERS

You may be able to send files and folders to others if your Enterprise Server has given you permission. To send files or folders to someone other than your Server, follow these steps.

1. Go to the Server's web address and log in, then, click on the Transfer tab's Drop Off tab.

2. Choose a name from the Send To menu.

The names available to you are those chosen by your Enterprise Server.

Send To:

3. Drag a file or a folder containing files from the Macintosh Finder or Windows Explorer to the Drop Off tab or click Select Files to select files or folders to send.

Files are sent to the person you chose in the Sent To menu. A progress indicator on the upper left of the tab indicates that files are being transferred.

4. Click the Logout tab to log out of the MassTransit Web Client.

SENDING FILES TO A SERVICE

Your Server may set up services to which you can direct files for processing. These may include printers, applications, drop-folders, or scripts. The names assigned to these services are listed in the Remote Service menu in the Drop Off tab. To use a service, follow these steps.

1. Go to the Server's web address and log in, then, click on the Transfer tab's Drop Off tab or folder.

2. Choose a service from the Remote Service menu.

The services available to you are those set up by your Enterprise Server.

Remote Service:

3. Drag a file or a folder containing files from the Macintosh Finder or Windows Explorer to the Drop Off tab OR click the Select button to select files or folders to send.

Files are sent to the service you chose in the Remote Service menu. A progress indicator on the upper left of the tab indicates that files are being transferred.

Note You may need to send files formatted for the service you are using. For example, printers require a PostScript file. Check with your Enterprise Server for requirements.


4. Click the Logout tab to log out of the MassTransit Web Client.

Using the Web Assistant

When you transfer files with the MassTransit Enterprise Server web site, the Web Assistant opens on your computer. The Web Assistant has two tabs, the Status and the Log tabs. You can open the Web Assistant at any time to review the Log.

THE STATUS TAB


The Status tab allows you to follow the transfer of files. You see a list of the files you are sending to the Enterprise Server a forwarding address or a service.



To stop sending a file, highlight it and select the Disconnect button.

THE LOG TAB

The Web Assistant Log maintains a list of your Web Client activities.



You can delete events from the Web Assistant Log to reduce the size of the Log file.

1. If necessary, open the Web Assistant and display the Log.
2. Select the log entry or entries you want to remove.
Press Shift and click to select multiple adjacent entries. You can also press Command (Macintosh) or Control (Windows) and click to select multiple nonadjacent entries. To select all, press Command A (Macintosh) or Control A (Windows).
3. Press the Delete key on your keyboard.

The Log viewer

The MassTransit Server may allow you to view the Server Log window. Each communication and file transfer event in MassTransit is noted in the Log window.

The log records the nature of the event, the time and date, and the user with whom the event is associated. In addition, the log notes the type of each event and ranks it according to one of the following three levels.


- Info, a message noting significant events in MassTransit including the shutdown of MassTransit
- Warning, a message noting problems that have arisen or may arise due to current system settings
- Error, a message logging problems beyond the control of MassTransit




In addition to the levels listed above, the log uses the following message types, as well as others.

- Connect, indicating the remote MassTransit and user systems successfully initiated a connection
- Transfer, indicating a file was copied from one system to another
- Error, indicating a problem that does not fall into any of the other categories
- Output, indicating a file is being processed by a service
- Summary, giving a summary of files transferred and their size for the preceding transfer


Note To see a log of activities for the MassTransit Web Client, open the MassTransit Assistant. Open it from the MassTransit Assistant folder found in the MassTransit Web Client folder.



1. Go to the Log Viewer tab to view the Log.
2. Display sections of the Log using the filter menus.
Select the name of contacts, the type of log entry, and the severity of the entry from the VIEW ONLY filter.




VIEW ONLY: Contacts 
Type 
Severity 


Select the starting and ending dates of the log entries you want displayed from the VIEW ENTRIES DATED BETWEEN filter.



VIEW ENTRIES DATED BETWEEN: Start Date 
End Date 

Select common dates or a text phrase to search for.



Common Dates 
Search Text

Choose to turn real-time refresh on or off.




REAL-TIME REFRESH: ON OFF

Changing your password

Your MassTransit Server may require you to change your password at intervals. You are prompted to enter a new password when one is required or you can change it from the My Account tab.

1. Go to the My Account tab.




A screenshot of a web form for changing a password. It contains three text input fields stacked vertically. The first field is labeled "Enter current password", the second "Enter new password", and the third "Re-enter new password". Below the third field is a "Submit" button.

2. Type your current password, and type your new password twice. Click Submit to change the password.

Logging out

Click the (Logout) button to log out of the MassTransit Web Client.



A

- Active Directory 4
- application 7
- Assistant, Web 8

D

- domain 4
- drag and drop problems 7
- drop off files
 - for others 7

E

- encryption 5

F

- files
 - checking status of 9
 - sending to others 7
- file transfers
 - checking for in Log 9
- forwarding files to others 7
- FTP fallback 5

H

- HTTPS 5

J

- Job Ticket 6

L

- logging out 10
- Log tab
 - Web Assistant 8
- Log Viewer 9
- log, Web Assistant
 - deleting 8

P

- printing remotely 7

R

- Remote Services 7

S

- Safari, problems using drag and drop 7
- secure connections 5
- sending files
 - to others 7
- servers, remote 7
- Status tab
 - Web Assistant 8
- stop sending files 8

V

- viewing the status of files being transferred 8

W

- Web Assistant 8